




FORM PTO-1449 (Rev. 2-32) 	U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Atty. Docket No. 02-1147-US	Serial No. 10/695,559
		Applicant: Tyggvason et al.	
		Filing Date: October 28, 2003	Group: To be Assigned


U.S. PATENT DOCUMENTS


Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
	1.	5,152,980	10/6/92	Strom, T. B. et al.			5/18/89
	2.	5,660,982	8/26/97	Tryggvason, et al.			10/4/94
	3.	6,294,356	9/25/01	Jones, et al.			1/15/99
	4.	6,143,505	11/7/00	Tryggvason, et al.			2/18/97
	5.	2002/0052307	2/27/03	Tryggvason, et al.			1/8/01

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
	6.	WO 00/26342	5/11/00	PCT			X	
	7.	WO 00/34441	6/15/00	PCT			X	
	8.	WO 01/87239	11/22/01	PCT			X	
	9.	WO 02/30465	4/18/02	PCT			X	
	10.	WO 03/016907	2/27/03	PCT				X

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

	11.	Aberdam, D. et al., (1994), Nature Genetics, "Herlitz's junctional epidermolysis bullosa is linked to mutations in the gene (LAMC2) for the $\gamma 2$ subunit of nicein/kalinin (Laminin-5)" 6(3):299-304
	12.	Buto, S. et al., (1998), EMBASE No. 97163048, "Production and characterization of monoclonal antibodies directed against the laminin receptor precursor." <i>ABS only</i>
	13.	Giannelli, G. et al., (1997), Science, "Induction of cell migration by matrix metalloprotease-2 cleavage of laminin-5" 277:225-228.
	14.	Hao, et al., (1996), Am. J. Pathol. "Differential Expression of laminin 5 ($\alpha 3\beta 3\gamma 2$) by human malignant and normal prostate" 149:1341-49.
	15.	Hellman, K., et al., (2000), Int. J. Gynecol cancer, "Cancer of the Vagina: Laminin-5 $\gamma 2$ Chain Expression and Prognosis", Vol: 10, pp. 391-396.

EXAMINER 	DATE CONSIDERED 2/10/06
--	-----------------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

16.	Kallunki, et al., (1992), J. Cell Biol. "A truncated laminin chain homologous to the $\beta 2$ chain: structure, spatial expression, and chromosomal assignment" 119: 679-93.
17.	Larjava, et al., (1993), J. Clin. Invest. "Expression of integrins and basement membrane components by wound keratinocytes" 92:1425-35.
18.	Martin, et al., (1998), Mol. Med. "Down-regulation of laminin-5 in breast carcinoma cells" 4:602-13.
19.	Matsui, C. et al., (1995), J. Investigative Dermatology, " $\gamma 2$ chain of laminin-5 is recognized by monoclonal antibody GB3" 105(5):648-652.
20.	Nissinen, M. et al., (1991), Biochem. J. "Primary structure of the human laminin A chain" 276:369-379.
21.	Orian-Rousseau, et al., (1993), J. Cell. Sci. "Human colonic cancer cells synthesize and adhere to laminin-5. Their adhesion to laminin-5 involves multiple receptors among which is integrin $\alpha 2 \beta 1$ " 111:1993-2004.
22.	Pelletier, et al., (1996), J. Biol. Chem. "Activation of the integrin $\alpha v \beta 3$ involves a discrete cation-binding site that regulates conformation" 271:1364.
23.	Pikkarainen, T. et al., (1987), J. Biol. Chem. "Human laminin B1 chain" 262:10454-10462.
24.	Pikkarainen, T. et al., (1988), J. Biol. Chem. "Human laminin $\beta 2$ chain" 263:6751-6758.
25.	Pulkkinen, L. et al. (1994), Nature Genetics, "Mutations in the $\gamma 2$ chain gene (LAMC2) of kalinin/laminin 5 in the junctional forms of epidermolysis bullosa" 6(3):293-298.
26.	Pyke, et al., (1994), Am. J. Pathol. "Laminin-5 is a marker of invading cancer cells in some human carcinomas and is coexpressed with the receptor for urokinase plasminogen activator in budding cancer cells in colon adenocarcinomas" 145:782-91.
27.	Pyke, et al., (1995), <i>Cancer Res.</i> "The $\gamma 2$ chain of kalinin/laminin 5 is preferentially expressed in invading malignant cells in human cancers" 55:4132-39.
28.	Seaver, S. S. (1994), Genetic Engineering News, "Monoclonal antibodies in industry: more difficult than originally thought" August 10 issue, pp20-21.
29.	Sordat, et al., (1998), J. Pathol. "Differential expression of laminin-5 subunits and integrin receptors in human colorectal neoplasia" 185:44-52.
30.	Tani, et al., (1996), Am. J. Pathol. " $\alpha 6 \beta 4$ integrin and newly deposited laminin-1 and laminin-5 form the adhesion mechanism of gastric carcinoma" 149:781-93.
31.	Tryggvason, K. (1993), Current Opinion in Biol. "The laminin family" 5:877-882.
32.	Vailly, J. et al. (1994), Eur. J. Biochem. "The 100-kDa chain of nicein/kalinin is a laminin $\beta 2$ chain variant" 219:209-218.
33.	Verrando, P. et al., (1991), Lab. Invest. "Monoclonal antibody GB3 defines a widespread defect of several basement membranes and a keratinocyte dysfunction in patients with lethal junctional epidermolysis bullosa" 64:85-92.
34.	Verrando, P. et al., (1993), J. Investigative Dermatology, "Nicein (BM-600) in junctional epidermolysis bullosa: polyclonal antibodies provide new clues for pathogenic role" 101(5):738-743.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

35.	Vuolteenaho, R. (1994), J. Cell Biol. "Human laminin M chain (merosin): complete primary structure, chromosomal assignment, and expression of the M and A chain in human fetal tissues" 124:381-394.
36.	Wewer, U. M. et al., (1992), Lab. Invest. "Laminin A, B1, B2, S and M subunits in the postnatal rat liver development and after partial hepatectomy" 66:378-389.
37.	Amano, et al., (2000), The Journal of Biological Chemistry, "Bone morphogenetic protein 1 is an extracellular processing enzyme of the laminin 5 γ 2 chain", Vol: 275(30), pp. 22728-22735.
38.	Anderson, et al., (2001), The Laryngoscope, "Tumor deposition of laminin-5 and the relationship with perineural invasion", Vol: 111, pp. 2140-2143.
39.	Calaluce, et al., (2001), Molecular Carcinogenesis, "Laminin-5-mediated gene expression in human prostate carcinoma cells", Vol: 30, pp. 119-129.
40.	Davis, et al., (2001), The Prostate, "Unique expression pattern of the α 6 β 4 integrin and Laminin-5 in human prostate carcinoma", Vol: 46, pp. 240-248.
41.	Engvall, et al., (1990), Cell Regulation, "Distribution and isolation of four laminin variants; tissue restricted distribution of heterotrimers assembled from five different subunits", Vol: 1, pp. 731-740.
42.	Fukushima, et al., (2001), Mod. Pathol., "Expression of laminin-5- γ 2 chain in intraductal papillary-mucinous and invasive ductal tumors of the pancreas", Vol: 14(5), pp. 404-409.
43.	Gianelli and Antonaci, (2001), Clinical and Experimental Metastasis, "Biological and Clinical Relevance of Laminin-5 in Cancer", Vol: 18, pp. 439-443.
44.	Goldfinger, et al., (1998), J. Cell Biol., "Processing of Laminin-5 and its functional consequences: Role of Plasmin and Tissue-type Plasminogen Activator", Vol: 141, pp. 255-265.
45.	Gonzales, et al., (1999), Mol. Biol. of the Cell, "A cell signal pathway involving laminin-5, α 3 β 1 integrin, and mitogen-activated protein kinase can regulate epithelial cell proliferation", Vol: 10, pp. 259-270.
46.	Grassi, et al., (1999), Journal of Cell Science, "The SFL activity secreted by metastatic carcinoma cells is related to laminin 5 and mediates cell scattering in an integrin-independent manner", Vol: 112, pp. 2511-2520.
47.	Haas, et al., (2001), The Journal of Histochemistry & Cytochemistry, "A comparative quantitative analysis of laminin-5 in the basement membrane of normal, hyperplastic, and malignant oral mucosa by confocal immunofluorescence imaging", Vol: 49(10), pp. 1261-1268.
48.	Habermann, et al., (2001), Scand J. Gastroenterol, "Ulcerative colitis and colorectal carcinoma", Vol: 7, pp. 751-758.
49.	Heagerty, et al., (1986), Lancet, "GB3 monoclonal antibody for diagnosis of junctional epidermolysis bullosa", Vol: 860, page 8485.
50.	Heagerty, et al., (1987), British J. Dermatol, "Raid prenatal diagnosis of epidermolysis bullosa letalis using GB3 monoclonal antibody", Vol: 17, pp. 271-275.
51.	Henning, et al., (1999), Histopathology, "Loss of laminin-5 in the epithelium-stroma interface: an immunohistochemical marker of malignancy in epithelial lesions of the breast", Vol: 34, pp. 305-309.
52.	Hlubek, et al., (2001), Cancer Research, "Expression of the invasion factor laminin γ 2 in colorectal carcinomas is regulated by β -catenin", Vol: 61, pp. 8089-8093.
53.	Hsi, et al., (1986), J. Reprod. Immunology, "Monoclonal antibodies to human amnion", Vol: 9, pp. 11-21.
54.	Kagesato, et al., (2001), Japan J. Cancer Research, "Sole expression of laminin γ 2 chain in invading tumor cells and its association with stromal fibrosis in lung adenocarcinomas", Vol: 21, pp. 184-192.
55.	Katoh, et al., (2002), Oncology, "Correlation between laminin-5 γ 2 chain expression and epidermal growth factor receptor expression and its clinicopathological significance in squamous cell carcinoma of the tongue", Vol: 62, pp. 318-326.
56.	Koshikawa, et al., (1999), Cancer Research, "Overexpression of laminin γ 2 chain monomer in invading gastric carcinoma cells", Vol: 59, pp. 5596-5601.
57.	Lenander, et al., (2001), Analytical Cellular Pathology, "Laminin-5 γ 2 chain expression correlates with unfavorable prognosis in colon carcinomas", Vol: 22, pp. 201-209.
58.	Lohi, et al., (2000), APMIS, "Basement membrane laminin-5 is deposited in colorectal adenomas and carcinomas and serves as a ligand for α 3 β 1 integrin", Vol: 108, pp. 161-172.
59.	Lugassy, et al., (1999), J. Cutaneous Pathol., "Tumor microvessels in melanoma express the beta-2 chain of laminin. Implications for melanoma metastasis", Vol: 26, pp. 222-226.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).





60.	Määttä, et al., (2001), The Journal of Histochemistry & Cytochemistry, "Comparative analysis of the distribution of laminin chains in the basement membranes in some malignant epithelial tumors: The $\alpha 1$ chain of laminin shows a selected expression pattern in human carcinomas", Vol: 49(6), pp. 711-725.
61.	Määttä, et al., (1999), Journal of Pathology, "Expression of the laminin $\gamma 2$ chain in different histological types of lung carcinoma. A study by immunohistochemistry and <i>in situ</i> hybridization", Vol: 188, pp. 361-368.
62.	Manda, et al., (2000), Biochemical and Biophysical Research Communications, "Differential expression of the LAMB3 and LAMC2 genes between small cell and non-small cell lung carcinomas", Vol: 275, pp. 440-445.
63.	Marinkovich, et al., (1992), JBC, "The anchoring filament protein kalinin is synthesized and secreted as a high molecular weight precursor", Vol: 267, pp. 17900-17906.
64.	McMillan, et al., (1997), Br. J. Dermatol., "Immunohistochemical analysis of the skin in junctional epidermolysis bullosa using laminin 5 chain specific antibodies is of limited value in predicting the underlying gene mutation", Vol: 136, pp. 817-822.
65.	Mizushima, et al., (1998), Horm. Res., "Wide Distribution of Laminin-5 γ chain in basement membranes of various human tissues", Vol: 50 (Suppl. 2), pp. 7-14.
66.	Mizushima, et al., (1996), J. Biochem., "Differential expression of laminin-5/ladsin subunits in human tissues and cancer cell lines and their induction by tumor promoter and growth factors", Vol: 120, pp. 1196-1202.
67.	Moriya, et al., (2001), Cancer, "Increased expression of laminin-5 and its prognostic significance in lung adenocarcinomas of small size", Vol: 19(6), pp. 1129-1141.
68.	Niki, et al., (2002), American Journal of Pathology, "Frequent co-localization of cox-2 and laminin-5 $\gamma 2$ chain at the invasive front of early-stage lung adenocarcinomas", Vol: 160(3), pp. 1129-1130.
69.	Nordemar, et al., (2001), Anticancer Research, "Laminin-5 as a predictor of invasiveness in cancer <i>in situ</i> lesions of the larynx", Vol: 21, pp. 509-512.
70.	Nordstrom, et al., (2002), Int. J. Gynecol., "Laminin-5 $\gamma 2$ chain as an invasivity marker for uni-and multifocal lesions in the lower anogenital tract", Vol: 12, pp. 105-109.
71.	Ono, et al., (2002), Cancer Letters, "Epidermal growth factor receptor gene amplification is correlated with laminin-5 $\gamma 2$ chain expression in oral squamous cell carcinoma cell lines", Vol: 175, pp. 197-204.
72.	Patarroyo, et al., (2002), Cancer Biology, "Laminin isoforms in tumor invasion, angiogenesis and metastasis", Vol: 12, pp. 197-207.
73.	Patel, et al., (2002), Int. J. Cancer, "Laminin- $\gamma 2$ overexpression in head-and-neck squamous cell carcinoma", Vol: 99, pp. 583-588.
74.	Rouselle, et al., (1991), J. Cell Biol., "Kalinin: an epithelium-specific basement membrane adhesion molecule that is a component of anchoring filaments", Vol: 114(3), pp. 567-576.
75.	Rouselle, et al., (1994), J. Cell Biol., "Kalinin is more efficient than laminin in promoting adhesion of primary keratinocytes and some other epithelial cells and has a different requirement of integrin receptors", Vol: 125, pp. 205-214.
76.	Salo, et al., (1999), Matrix Biol., "Laminin-5 promotes adhesion and migration of epithelial cells: identification of a migration-related element in the $\gamma 2$ chain gene (LAMC2) with activity in transgenic mice", Vol: 18, pp. 197-210.
77.	Salo, et al., (1999), Acta Univ. Oul.D 540, "Laminin-5: Function of the $\gamma 2$ chain in epithelial cell adhesion and migration, and expression in epithelial cells and carcinomas" Doctoral Dissertation.
78.	Seftor, et al., (2001), Cancer Research, "Cooperative interactions of laminin 5 $\gamma 2$ chain, matrix metalloproteinase-2, and membrane type-1-matrix/metalloproteinase are required for mimicry of embryonic vasculogenesis by aggressive melanoma", Vol: 61, pp. 6322-6327.
79.	Skyldberg, et al., (1999), Journal of the National Cancer Institute, "Laminin-5 as a marker of invasiveness in cervical lesions", Vol: 91(21), pp. 1882-1887.
80.	Soini, et al., (1996), Journal of Pathology, "Expression of the laminin $\gamma 2$ chain in pancreatic adenocarcinoma", Vol: 180, pp. 290-294.
81.	Sordat, et al., (2000), Int. J. Cancer, "Tumor cell budding and Laminin-5 expression in colorectal carcinoma can be modulated by the tissue micro-environment", Vol: 88, pp. 708-717.
82.	Takahashi, et al., (2002), Cancer, Cytoplasmic Expression of Laminin $\gamma 2$ Chain Correlates with Postoperative Hepatic Metastasis and Poor Prognosis in Patients with Pancreatic Ductal Adenocarcinoma", Vol: 94(6), pp. 1894-1901.
83.	Tani, et al., (1997), American Journal of Pathology, "Pancreatic carcinomas deposit laminin-5 preferably adhere to laminin-5, and migrate on the newly deposited basement membrane", Vol: 151(5), pp. 1289-1302.

EXAMINER


DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

	84.	Tsuji, et al., (2002), Clinical & Experimental Metastasis, "Regulation of melanoma cell migration and invasion by laminin-5 and $\alpha 3 \beta 1$ integrin (VLA-3), Vol: 19, pp. 127-134.
	85.	Tunggal, et al., (2002), American Journal of Pathology, "Defective laminin 5 processing in cylindroma cells", Vol: 160(2), pp. 459-468.
	86.	Verrando, et al., (1987), Exp. Cell Res., "Monoclonal antibody GB3, a new probe for the study of human basement membranes and hemidesmosomes", Vol: 170, page 116-128.
	87.	Yamamoto, et al., (2001), Clinical Cancer Research, "Expression of the $\gamma 2$ chain of Laminin-5 at the invasive front is associated with recurrence and poor prognosis in human esophageal squamous cell carcinoma", Vol: 7, pp. 896-900.


The Applicants hereby notify The Patent Office of the following co-pending applications:

Examiner Initial		Application Serial Number	Filing Date	Author	Attorney Docket No.	
	1.	09/756,071	Jan. 8, 2001	Tryggvason et al.	02-1239-A	

Harper/Biostratum/patents/02-1147-US

EXAMINER 	DATE CONSIDERED 
--	---

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

FORM PTO-1449 (Rev. 2-32)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No.	Serial No.
		02-1147-US	10/695,559
		Applicant:	
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Tryggvason, et al.	
		Filing Date:	Group:
		October 28, 2003	# 1645

U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>JS</i>	1.	US 2004/0120959	June 24, 2004	Karl Tryggvason, et al.			October 28, 2003

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
<i>JS</i>	2.	WO 2004/039401	May 13, 2004	PCT			X	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

<i>JS</i>	3.	Patricia Stolzhus, et al., (2004), International Journal of Gynecological Pathology, "Laminin-5 γ 2 Chain Expression Facilitates Detection of Invasive Squamous Cell Carcinoma of the Uterine Cervix", Vol: 23, pp. 215-222.
-----------	----	---

EXAMINER	<i>JS</i>	DATE CONSIDERED	<i>2/6/06</i>
----------	-----------	-----------------	---------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.